
Metrotile[®] Qube Prestige




Design



Overall Length 1305 mm Length of Cover 1260 mm Overall Width 350 mm Width of Cover 321 mm 15° (27 %) Minimum pitch Maximum pitch 90° Roof Cover 0.405 m² Tiles per m² 2.47 Weight/panel 2.10 kg Weight/area 5.19 kg/m²

Material structure



- Super durable powder coating (> 80 µm) 1
- 2 Polyurethane primer
- 3 Zinc-aluminium-magnesium alloy
- 4 Steel 0.50 mm
- Zinc-aluminium-magnesium alloy 5
- 6 Polyester primer

Steel specification

The Metrotile Qube Prestige tile is made from pre primed zincaluminium-magnesium coated steel that when combined with the extra durable powder coating finish provides optimal performance. The grade of steel used is designed to allow pressing without cracking while at the same time is ridged enough to tolerate reasonable loads.

Steel Thickness	0.50 mm
Steel Grade	DX53D
Zinc-aluminium-magnesium Coating Mass	250 g/m²
Zinc-aluminium-magnesium Coating Grade	ZM250

Coating specification


Polyester Powder Coating: The finish coating is an extremly durable High Gloss Polyester Powder Coating that is applied post pressing. This coating has proven durability retaining its high gloss finish for many years in all environments.

Polyurethane primer: The primer is applied by a coil coating process, this coating provides increased corrosion protection and a surface for superior adhesion of the Powder Coating that is applied.

Polyester Backer Coating: This coating provides increased durability to the underside of the tiles.

Colours









Brilance Charcoal

Brilance Black

Matt Black