


Design



Overall Length*	1335 mm [± 3 mm]
Length of Cover*	1240 mm
Overall Width*	290 mm [± 3 mm]
Width of Cover	252 mm
Minimum pitch	16° (29 %)
Maximum pitch	90°
Roof Cover*	0.311 m ²
Tiles per m ²	3.21
Weight/panel	1.60 kg
Weight/area	5.14 kg/m ²

Material structure



- 1 Super durable powder coating (> 80 µm)
- 2 Polyurethane primer
- 3 Zinc-aluminium-magnesium alloy
- 4 Steel 0.43 mm
- 5 Zinc-aluminium-magnesium alloy
- 6 Polyester primer

Steel specification

The Metrotile Qube Prestige tile is made from pre primed zinc-aluminium-magnesium coated steel that when combined with the extra durable powder coating finish provides optimal performance. The grade of steel used is designed to allow pressing without cracking while at the same time is ridged enough to tolerate reasonable loads.

Steel Thickness	0.43 mm
Steel Grade	DX52D
Zinc-aluminium-magnesium Coating Mass	250 g/m ²
Zinc-aluminium-magnesium Coating Grade	ZM250

Coating specification

Polyester Powder Coating: The finish coating is an extremely durable High Gloss Polyester Powder Coating that is applied post pressing. This coating has proven durability retaining its high gloss finish for many years in all environments.

Polyurethane primer: The primer is applied by a coil coating process, this coating provides increased corrosion protection and a surface for superior adhesion of the Powder Coating that is applied.

Polyester Backer Coating: This coating provides increased durability to the underside of the tiles.

Colours

